

wdly

BILLINGS®

Life-Time®

WRENCHES

SOCKETS


PARTS & SETS

THE BILLINGS & SPENCER CO. HARTFORD 1, CONN., U. S. A.

BILLINGS LIFE-TIME BILLINGS LIFE-TIME BILLINGS

BILLINGS® Life-Time®


WRENCHES • SOCKETS • SETS • PARTS






1"
—
4
SQUARE DRIVE



3"
—
8
SQUARE DRIVE



1"
—
2
SQUARE DRIVE



Sales Building Merchandisers

Sold In Standard Packages Only

Made Exclusively for the Hardware Trade

Copyright THE BILLINGS & SPENCER CO. Hartford, Conn.

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

BILLINGS

LIFE-TIME

BILLINGS

LIFE-TIME

BILLINGS

BILLINGS

LIFE-TIME

BILLINGS

LIFE-TIME

BILLINGS

BILLINGS® Life-Time®

WRENCHES • SOCKETS • SETS • PARTS

Plus Profit Building Merchandisers

The Billings Life-Time line is quality made and competitively priced for quick, profitable turnover in the hardware trade . . . forged from special analysis alloy steel, scientifically heat treated to Billings specifications. Life-Time wrenches, sockets and socket parts are designed, manufactured, quality controlled and stamped with the name "Billings"—the standard of quality since 1869—to give the hardware trade a popular line to carry and a profitable line to sell.

● HEADS

BILLINGS' LIFE-TIME WRENCHES are drop forged from special analysis alloy steel. Heads are ground and polished.




● FINISH

Extremely fine finish is obtained by applying a copper base coat. Then, nickel silver over the copper; finally, heavy chrome plate.

● ALLOY STEEL

Unretouched cross section of BILLINGS' LIFE-TIME FORGED WRENCH shows how the steel fibres (or grain) are arranged by drop forging to give extra strength.



Feature Facts

about BILLINGS

ALLOY STEEL

LIFE-TIME WRENCHES

An unbeatable team!

Did you know that Billings Life-Time wrenches are produced from dies made by Billings from special analysis steel made to Billings specifications and forged on board drop hammers manufactured in Billings own plant?

Did you know that Billings has been producing drop forgings since 1869?

Quotations on all types of commercial forgings are gladly given by Billings Forging Department.

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

BILLINGS LIFE-TIME **BILLINGS** LIFE-TIME **BILLINGS**

THE WRENCHES MOST FREQUENTLY REQUESTED


IN THE FIXED OPEN FIELD

PRODUCED — PACKAGED — PRICED FOR
THE HARDWARE TRADE EXCLUSIVELY


The name "Billings" has been recognized and accepted by expert craftsmen as a symbol of Dependability and Quality for more than eighty years. Today, hardware retailers everywhere are finding that Billings LIFE-TIME Wrenches and their sales-making Merchandisers pay off in EXTRA SALES — EXTRA PROFITS — EXTRA REPEATS.

Billings LIFE-TIME Wrenches are drop forged from special analysis alloy steel and scientifically heat treated to Billings rigid specifications. Openings are accurately machined to close tolerances. Chrome plated finish, polished heads, clearly marked opening sizes, make Billings LIFE-TIME the quality wrench of the hardware trade.

BILLINGS
ALLOY STEEL
Life-Time
WRENCHES

15° OPEN END
(Engineers')RUST-RESISTING
CHROME PLATED FINISH — POLISHED HEADS

OPEN END COMBINATION BOX


RUST-RESISTING
CHROME PLATED FINISH — POLISHED HEADS

| Wrench No. | Nominal Opening | Wrench No. | Nominal Opening |
|-----------------|-----------------|-----------------|-----------------|
| L-1020 | 1/4 & 5/16 | L-1729 | 5/8 & 3/4 |
| L-1721 | 5/16 & 3/8 | L-1029 | 11/16 & 25/32 |
| L-1723 | 3/8 & 7/16 | L-1731-A | 3/4 & 7/8 |
| L-1725 | 7/16 & 1/2 | L-1031 | 25/32 & 7/8 |
| L-1725-B | 1/2 & 9/16 | L-1731-B | 13/16 & 7/8 |
| L-1025 | 1/2 & 19/32 | L-1033-C | 15/16 & 1 |
| L-1727 | 9/16 & 5/8 | L-1034 | 7/8 & 1 1/16 |
| L-1027 | 19/32 & 11/16 | | |

SOLD IN STANDARD PACKAGES OF 6 ONLY.

| Wrench No. | Nominal Opening | Wrench No. | Nominal Opening |
|-----------------|-----------------|-----------------|-----------------|
| L-1160 | 3/8 | L-1166 | 3/4 |
| L-1161 | 7/16 | L-1166-A | 25/32 |
| L-1162 | 1/2 | L-1167-A | 13/16 |
| L-1163 | 9/16 | L-1167 | 7/8 |
| L-1163-A | 19/32 | L-1168 | 15/16 |
| L-1164 | 5/8 | L-1170 | 1 |
| L-1165 | 11/16 | L-1171 | 1 1/16 |

SOLD IN STANDARD PACKAGES OF 6 ONLY.

RUST-RESISTING
CHROME PLATED FINISH — POLISHED HEADSRUST-RESISTING
CHROME PLATED FINISH — POLISHED HEADS

| Wrench No. | Nominal Opening | Wrench No. | Nominal Opening |
|-----------------|-----------------|-----------------|-----------------|
| L-7723 | 3/8 & 7/16 | L-7729 | 5/8 & 3/4 |
| L-7725 | 7/16 & 1/2 | L-7029 | 11/16 & 25/32 |
| L-7725-B | 1/2 & 9/16 | L-7731-A | 3/4 & 7/8 |
| L-7025 | 1/2 & 19/32 | L-7731-B | 13/16 & 7/8 |
| L-7727 | 9/16 & 5/8 | L-7031 | 25/32 & 7/8 |
| L-7027 | 19/32 & 11/16 | L-7033-C | 15/16 & 1 |

SOLD IN STANDARD PACKAGES OF 6 ONLY.

| Wrench No. | Nominal Opening | Wrench No. | Nominal Opening |
|-----------------|-----------------|-----------------|-----------------|
| L-8723 | 3/8 & 7/16 | L-8029 | 11/16 & 25/32 |
| L-8725 | 7/16 & 1/2 | L-8731-A | 3/4 & 7/8 |
| L-8725-B | 1/2 & 9/16 | L-8031 | 25/32 & 7/8 |
| L-8025 | 1/2 & 19/32 | L-8731-B | 13/16 & 7/8 |
| L-8727 | 9/16 & 5/8 | L-8033-C | 15/16 & 1 |
| L-8027 | 19/32 & 11/16 | L-8034 | 7/8 & 1 1/16 |
| L-8729 | 5/8 & 3/4 | | |

SOLD IN STANDARD PACKAGES OF 6 ONLY.

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

BILLINGS LIFE-TIME **BILLINGS** LIFE-TIME **BILLINGS**

® Trade Mark Reg.

BILLINGS**LIFE-TIME****BILLINGS****LIFE-TIME****BILLINGS**


BILLINGS[®]

ALLOY STEEL

Life-Time[®]


ROLLPACS

15° OPEN END (Engineers') ROLLPAC



No. L-1006 (6 Wrenches)


| Wrench Number | Nominal Opening |
|-----------------|-----------------|
| L-1020 | 1/4 & 5/16 |
| L-1723 | 3/8 & 7/16 |
| L-1725-B | 1/2 & 9/16 |
| L-1729 | 5/8 & 3/4 |
| L-1731-B | 13/16 & 7/8 |
| L-1033-C | 15/16 & 1 |



No. L-1009 (9 Wrenches)


| Wrench Number | Nominal Opening |
|-----------------|-----------------|
| L-1020 | 1/4 & 5/16 |
| L-1721 | 5/16 & 3/8 |
| L-1723 | 3/8 & 7/16 |
| L-1725 | 7/16 & 1/2 |
| L-1725-B | 1/2 & 9/16 |
| L-1727 | 9/16 & 5/8 |
| L-1729 | 5/8 & 3/4 |
| L-1731-B | 13/16 & 7/8 |
| L-1033-C | 15/16 & 1 |

COMBINATION ROLLPAC



No. L-1106 (6 Wrenches)

| Wrench Number | Nominal Opening |
|---------------|-----------------|
| L-1161 | 7/16 |
| L-1162 | 1/2 |
| L-1163 | 9/16 |
| L-1164 | 5/8 |
| L-1166 | 3/4 |
| L-1167 | 7/8 |




No. L-1109 (9 Wrenches)

| Wrench Number | Nominal Opening |
|-----------------|-----------------|
| L-1161 | 7/16 |
| L-1162 | 1/2 |
| L-1163 | 9/16 |
| L-1164 | 5/8 |
| L-1166 | 3/4 |
| L-1167-A | 13/16 |
| L-1167 | 7/8 |
| L-1170 | 1 |

15°


BOX ROLLPAC

45°



No. L-7705 (5 Wrenches)

| Wrench Number | Nominal Opening |
|-----------------|-----------------|
| L-7723 | 3/8 & 7/16 |
| L-7725-B | 1/2 & 9/16 |
| L-7729 | 5/8 & 3/4 |
| L-7731-B | 13/16 & 7/8 |
| L-7033-C | 15/16 & 1 |



No. L-8705 (5 Wrenches)

| Wrench Number | Nominal Opening |
|-----------------|-----------------|
| L-8723 | 3/8 & 7/16 |
| L-8725-B | 1/2 & 9/16 |
| L-8729 | 5/8 & 3/4 |
| L-8731-B | 13/16 & 7/8 |
| L-8033-C | 15/16 & 1 |

BILLINGS MAGIC-CLERK



CONSISTS OF 66 WRENCHES

**COUNTER
DISPENSER**

No. EBC-66

Square foot of magic, magnetic selling space. Displays and sells most popular sizes of LIFE-TIME wrenches in Engineers', Combination, and 45° Box patterns. Refills stored in rear compartments for ready use. Size: 18" wide—16½" high—8" deep. Packed complete with 66 wrenches; electro-type sheet; window streamer; and literature in sturdy carton.

15° OPEN END (Engineers')

45° BOX

COMBINATION

| Quan. | Wrench Number |
|-------|-----------------|
| 4 ea. | L-1020 |
| 4 ea. | L-1723 |
| 4 ea. | L-1725-B |
| 4 ea. | L-1729 |
| 4 ea. | L-1731-B |
| 3 ea. | L-1033-C |

| Quan. | Wrench Number |
|-------|-----------------|
| 4 ea. | L-8723 |
| 4 ea. | L-8725-B |
| 4 ea. | L-8729 |
| 4 ea. | L-8731-B |
| 3 ea. | L-8033-C |

| Quan. | Wrench Number |
|-------|---------------|
| 4 ea. | L-1161 |
| 4 ea. | L-1162 |
| 4 ea. | L-1163 |
| 4 ea. | L-1164 |
| 4 ea. | L-1165 |
| 4 ea. | L-1166 |
| 4 ea. | L-1167 |

MAGIC-CLERK Counter Dispenser, value \$10.00,
supplied without charge with initial order.

NO DUPLICATION OF OPENINGS IN ANY ONE STYLE OF WRENCH

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

Printed in U. S. A.

BILLINGS

LIFE-TIME

BILLINGS

LIFE-TIME

BILLINGS

BILLINGS LIFE-TIME **BILLINGS** LIFE-TIME **BILLINGS**

THE WRENCHES MOST FREQUENTLY REQUESTED


IN THE FIXED OPEN FIELD

PRODUCED — PACKAGED — PRICED FOR
THE HARDWARE TRADE EXCLUSIVELY


The name "Billings" has been recognized and accepted by expert craftsmen as a symbol of Dependability and Quality for more than eighty years. Today, hardware retailers everywhere are finding that Billings LIFE-TIME Wrenches and their sales-making Merchandisers pay off in EXTRA SALES — EXTRA PROFITS — EXTRA REPEATS.

Billings LIFE-TIME Wrenches are drop forged from special analysis alloy steel and scientifically heat treated to Billings rigid specifications. Openings are accurately machined to close tolerances. Chrome plated finish, polished heads, clearly marked opening sizes, make Billings LIFE-TIME the quality wrench of the hardware trade.

BILLINGS
ALLOY STEEL
Life-Time
WRENCHES


15° OPEN END
(Engineers')RUST-RESISTING
CHROME PLATED FINISH — POLISHED HEADS

OPEN END COMBINATION BOX

RUST-RESISTING
CHROME PLATED FINISH — POLISHED HEADS


| Wrench No. | Nominal Opening | Wrench No. | Nominal Opening |
|-----------------|-----------------|-----------------|-----------------|
| L-1020 | 1/4 & 5/16 | L-1729 | 5/8 & 3/4 |
| L-1721 | 5/16 & 3/8 | L-1029 | 11/16 & 25/32 |
| L-1723 | 3/8 & 7/16 | L-1731-A | 3/4 & 7/8 |
| L-1725 | 7/16 & 1/2 | L-1031 | 25/32 & 7/8 |
| L-1725-B | 1/2 & 9/16 | L-1731-B | 13/16 & 7/8 |
| L-1025 | 1/2 & 19/32 | L-1033-C | 15/16 & 1 |
| L-1727 | 9/16 & 5/8 | L-1034 | 7/8 & 1 1/16 |
| L-1027 | 19/32 & 11/16 | | |

SOLD IN STANDARD PACKAGES OF 6 ONLY.

RUST-RESISTING
CHROME PLATED FINISH — POLISHED HEADS

| Wrench No. | Nominal Opening | Wrench No. | Nominal Opening |
|-----------------|-----------------|-----------------|-----------------|
| L-1160 | 3/8 | L-1166 | 3/4 |
| L-1161 | 7/16 | L-1166-A | 25/32 |
| L-1162 | 1/2 | L-1167-A | 13/16 |
| L-1163 | 9/16 | L-1167 | 7/8 |
| L-1163-A | 19/32 | L-1168 | 15/16 |
| L-1164 | 5/8 | L-1170 | 1 |
| L-1165 | 11/16 | L-1171 | 1 1/16 |

SOLD IN STANDARD PACKAGES OF 6 ONLY.

RUST-RESISTING
CHROME PLATED FINISH — POLISHED HEADS

| Wrench No. | Nominal Opening | Wrench No. | Nominal Opening |
|-----------------|-----------------|-----------------|-----------------|
| L-8723 | 3/8 & 7/16 | L-8029 | 11/16 & 25/32 |
| L-8725 | 7/16 & 1/2 | L-8731-A | 3/4 & 7/8 |
| L-8725-B | 1/2 & 9/16 | L-8031 | 25/32 & 7/8 |
| L-8025 | 1/2 & 19/32 | L-8731-B | 13/16 & 7/8 |
| L-8727 | 9/16 & 5/8 | L-8033-C | 15/16 & 1 |
| L-8727 | 19/32 & 11/16 | L-8034 | 7/8 & 1 1/16 |
| L-8729 | 5/8 & 3/4 | | |

SOLD IN STANDARD PACKAGES OF 6 ONLY.

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

BILLINGS

LIFE-TIME

BILLINGS

LIFE-TIME

BILLINGS

BILLINGS

LIFE-TIME

BILLINGS

LIFE-TIME

BILLINGS

BILLINGS[®]

ALLOY STEEL


Life-Time[®]

WRENCHES & SOCKETS

No. LE-52**15° OPEN END**


(Engineers') ALLOY STEEL

| Quan. | Wrench No. | Quan. | Wrench No. |
|-------|------------|-------|------------|
| 4 | L-1721 | 4 | L-1027 |
| 6 | L-1723 | 3 | L-1729 |
| 6 | L-1725 | 4 | L-1029 |
| 6 | L-1725-B | 2 | L-1731-A |
| 6 | L-1025 | 3 | L-1031 |
| 6 | L-1727 | 2 | L-1034 |

**No. LC-37****COMBINATION**


ALLOY STEEL

| Quan. | Wrench No. | Quan. | Wrench No. |
|-------|------------|-------|------------|
| 4 | L-1161 | 3 | L-1166 |
| 6 | L-1162 | 3 | L-1166-A |
| 5 | L-1163 | 2 | L-1167 |
| 4 | L-1163-A | 2 | L-1168 |
| 3 | L-1164 | 2 | L-1171 |
| 3 | L-1165 | | |

**No. LC-48****3/8" SQ. DR. SOCKETS AND PARTS**

ALLOY STEEL

| Quan. | LIFE-TIME Forged Socket No. | Quan. | LIFE-TIME Forged Socket No. |
|---|-----------------------------|-----------------------------|-----------------------------|
| 12 POINT DOUBLE HEX SOCKETS, REGULAR | | | |
| 2 | LC-1212 | 2 | LC-1220 |
| 2 | LC-1214 | 2 | LC-1222 |
| 2 | LC-1216 | 2 | LC-1224 |
| 2 | LC-1218 | | |
| 12 POINT DOUBLE HEX SOCKETS, DEEP WALL | | | |
| 2 | LCD-1214 | 2 | LCD-1220 |
| 2 | LCD-1216 | 2 | LCD-1222 |
| 2 | LCD-1218 | 2 | LCD-1224 |
| 12 POINT UNIVERSAL FLEX SOCKETS | | | |
| 1 | LCU-1212 | 1 | LCU-1218 |
| 1 | LCU-1214 | 1 | LCU-1220 |
| 1 | LCU-1216 | | |
| 5/8" SQ. DRIVE HANDLE PARTS | | | |
| 2 | LC-118 | Flex Handle, 8 1/4" long | |
| 2 | LC-128 | Sliding "T" Handle, 8" long | |
| 2 | LC-135 | Extension, 5" long | |
| 2 | LC-147 | Rev. Ratchet, 7" long | |
| 1 | LC-180 | Universal Joint | |
| 2 | LC-1312 | Extension, 11" long | |

**DISPLAY BOARDS**


Modern merchandising—eye it—try it!—Buy it! The Billings eye-catching royal blue enamel colored Display Board with the identifying part numbers and sizes clearly shown in brilliant yellow, attract buyers to the orderly display of the new Billings LIFE-TIME line. The merchandisers that set a pattern for the hardware trade. Real sales-builders, readily adapted for mounting the new Billings Salespace Maker floor display as well as on walls, cabinets and pylons. Also used in combination to build Billings Balanced Wrench Departments.

Promotes Sales—Speeds Turnover—Builds Repeat Business**Each Board 12" Wide—24" High**


NO CHARGE FOR BOARD WHEN ASSORTMENT IS PURCHASED

No. LB-40**45° LONG BOX**


ALLOY STEEL

**No. LB-42****15° LONG BOX**


ALLOY STEEL



| Quan. | Wrench No. | Quan. | Wrench No. |
|-------|------------|-------|------------|
| 6 | L-8723 | 3 | L-8729 |
| 6 | L-8725 | 2 | L-8029 |
| 6 | L-8725-B | 2 | L-8731-A |
| 5 | L-8025 | 2 | L-8031 |
| 3 | L-8727 | 2 | L-8034 |
| 3 | L-8027 | | |

**No. LS-75****1/2" SQ. DR. SOCKETS AND PARTS**

ALLOY STEEL



| Quan. | LIFE-TIME Forged Socket No. | Quan. | LIFE-TIME Forged Socket No. |
|--------------------------------------|-----------------------------|-------|-----------------------------|
| 12 POINT DOUBLE HEX SOCKETS | | | |
| 4 | LS-1214 | 4 | LS-1226 |
| 4 | LS-1216 | 4 | LS-1228 |
| 4 | LS-1218 | 4 | LS-1230 |
| 2 | LS-1219 | 4 | LS-1232 |
| 4 | LS-1220 | 2 | LS-1234 |
| 4 | LS-1222 | 2 | LS-1236 |
| 4 | LS-1224 | 2 | LS-1240 |
| 8 POINT DOUBLE SQUARE SOCKETS | | | |
| 2 | LS-814 | 2 | LS-820 |
| 2 | LS-816 | 2 | LS-824 |
| 2 | LS-818 | | |

| Quan. | 1/2" SQ. DRIVE HANDLE PARTS | | |
|-------|-----------------------------|---------------------------|--|
| 2 | LS-135 | Extensions—5" long | |
| 1 | LS-1018 | Universal Joint | |
| 1 | LS-1118 | Speeder—17" long | |
| 2 | LS-1211 | Flex Handles—18" long | |
| 2 | LS-1310 | Extensions—10" long | |
| 2 | LS-1410 | Rev. Ratchet 10 1/4" long | |

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

Printed in U. S. A.

BILLINGS

LIFE-TIME

BILLINGS

LIFE-TIME

BILLINGS

BILLINGS LIFE-TIME BILLINGS LIFE-TIME BILLINGS

Balanced

WRENCH DEPARTMENTS


Make a complete wrench service for farm trade, home owners, hobbyists, garage and industrial mechanics. The popular Billings' LIFE-TIME wrenches are securely held on the 1 x 2 ft. Billings distinctive royal blue colored plywood boards by strong hooks securely bolted from the back of the boards. Each wrench can be easily removed for inspection by the customer. . .

Various arrangements of wrench and socket boards can be made to fit most any type of store situation. Each wrench, socket and part is identified as to number and opening, plus a space for marking the retail price.



LWD-169 FOR LIMITED TRADE


Three boards of forged wrenches and sockets for a small wrench department. From these boards a larger, more complete department can be made. Consists of Nos. LE-52 (Open End-Engineers'), LS-75 (½" Socket), LB-42 (15° Box) Display Boards.




LWD-246 FOR AVERAGE TRADE

To service farm trade, householders, hobbyists, garage and industrial mechanics. Can be displayed in various arrangements to fit particular store conditions. Consists of LE-52 (Open End-Engineers'), LB-40 (45° Box), LB-42 (15° Box), LC-37 (Combination), LS-75 (½" Socket) Display Boards.

A FEW DISPLAY ARRANGEMENTS



Select and combine different arrangements to meet various requirements.



LWD-283 FOR COMPLETE SERVICE

Wrenches scientifically selected to service customer needs of any store or neighborhood—a completely balanced wrench department. Consists of Nos. LE-52(Open End-Engineers'), LB-40 (45° Box), LB-42 (15° Box), LC-37 (Combination), LC-48 (¾" Socket), LS-75 (½" Socket) Display Boards.

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

BILLINGS

LIFE-TIME

BILLINGS

LIFE-TIME

BILLINGS

BILLINGS

LIFE-TIME

BILLINGS

BILLINGS®

ALLOY STEEL

Life-Time®

SQ. $\frac{3}{8}$ " DR.

SOCKET SETS




LCD-6 DETACHABLE SOCKET SET

12 POINT, DOUBLE HEX, EXTRA DEEP SOCKETS
Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | Length |
|-----------------------------------|--------------------|--------|
| LCD-1214 | 7/16" | 2" |
| LCD-1216 | 1/2" | 2" |
| LCD-1218 | 9/16" | 2" |
| LCD-1220 | 5/8" | 2" |
| LCD-1222 | 11/16" | 2 1/2" |
| LCD-1224 | 3/4" | 2 1/2" |

LCD-6 Set furnished in Cardboard Box.



LC-10 DETACHABLE SOCKET SET

12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | LIFE-TIME Forged Socket No. | Nominal Opening |
|-----------------------------------|--------------------|-----------------------------------|--------------------|
| LC-1212 | 3/8" | LC-1220 | 5/8" |
| LC-1214 | 7/16" | LC-1222 | 11/16" |
| LC-1216 | 1/2" | LC-1224 | 3/4" |
| LC-1218 | 9/16" | | |

HANDLE PARTS

LC-118 Flex Handle, 8 1/4" long.

LC-133 Extension, 3" long.

LC-147 Reversible Ratchet, 7" long.

LC-10 Set in Metal Tool Box,
8 5/8 x 2 13/16 x 1 3/8".


"MADE EXCLUSIVELY FOR THE HARDWARE TRADE"

Each Set in the new $\frac{3}{8}$ " Square Drive Billings LIFE-TIME Socket line contains Billings quality Sockets and Parts in various assortments to meet the needs created by users of this popular priced line of Sockets.

The heavy gauge metal boxes are enameled in the distinctive Billings LIFE-TIME royal blue. Separate partitions for Sockets and Parts plus space for future additions give an orderly appearance to the sets. Latches and hinges are strong and practical.

Sockets and Parts are made from selected ALLOY Steel, heat treated to Billings rigid specifications to develop the utmost in strength. The openings are accurately sized. All Sockets have a rust resistant chrome plated finish.

The $\frac{3}{8}$ " Parts are selected to be the correct counterparts to the various sizes and types of Sockets in each Set and they are interchangeable. Each has the "lock-on" feature.



LCD-7 DETACHABLE SOCKET SET

12 POINT, DOUBLE HEX, UNIVERSAL FLEX SOCKETS
Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | Length |
|-----------------------------------|--------------------|----------|
| LCU-1212 | 3/8" | 1 1/2" |
| LCU-1214 | 7/16" | 1 9/16" |
| LCU-1216 | 1/2" | 1 19/32" |
| LCU-1218 | 9/16" | 1 5/8" |
| LCU-1220 | 5/8" | 1 3/4" |
| LCU-1222 | 11/16" | 1 25/32" |
| LCU-1224 | 3/4" | 1 13/16" |

LCD-7 Set furnished in Cardboard Box.




LC-8 DETACHABLE SOCKET SET

12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | LIFE-TIME Forged Socket No. | Nominal Opening |
|-----------------------------------|--------------------|-----------------------------------|--------------------|
| LC-1212 | 3/8" | LC-1220 | 5/8" |
| LC-1214 | 7/16" | LC-1222 | 11/16" |
| LC-1216 | 1/2" | LC-1224 | 3/4" |

HANDLE PARTS

LC-118 Flex Handle, 8 1/4" long.
LC-8 Set in Metal Tool Box,
8 5/8 x 2 13/16 x 1 3/8".



LC-15 DETACHABLE SOCKET SET

12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | LIFE-TIME Forged Socket No. | Nominal Opening |
|-----------------------------------|--------------------|-----------------------------------|--------------------|
| LC-1212 | 3/8" | LC-1220 | 5/8" |
| LC-1214 | 7/16" | LC-1222 | 11/16" |
| LC-1216 | 1/2" | LC-1224 | 3/4" |

HANDLE PARTS

LCB-110 Flex Handle Bar, 6 1/2" long.

LC-118 Flex Handle, 8 1/4" long.

LC-128 Sliding "T" Handle, 8" long.

LC-135 Extension, 5" long.

LC-147 Reversible Ratchet, 7" long.

LC-180 Universal Joint.

LC-1017 Speeder, 17" long.

LC-1312 Extension, 11" long.

LC-15 Set in Metal Tool Box,
17 3/4 x 4 1/2 x 1 1/2".



LC-25 DETACHABLE SOCKET SETS

12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | LIFE-TIME Forged Socket No. | Nominal Opening |
|-----------------------------------|--------------------|-----------------------------------|--------------------|
| LC-1212 | 3/8" | LC-1220 | 5/8" |
| LC-1214 | 7/16" | LC-1222 | 11/16" |
| LC-1216 | 1/2" | LC-1224 | 3/4" |

12 POINT, DOUBLE HEX SOCKETS, EXTRA DEEP

| LCD-1214 | 7/16" | LCD-1220 | 5/8" |
|----------|-------|----------|--------|
| LCD-1216 | 1/2" | LCD-1222 | 11/16" |
| LCD-1218 | 9/16" | LCD-1224 | 3/4" |

12 POINT, DOUBLE HEX UNIVERSAL FLEX SOCKETS

| LCU-1214 | 7/16" | LCU-1218 | 9/16" |
|----------|-------|----------|-------|
| LCU-1216 | 1/2" | LCU-1220 | 5/8" |

HANDLE PARTS

LCB-110 Flex Handle Bar, 6 1/2" long.

LC-118 Flex Handle, 8 1/4" long.

LC-128 Sliding "T" Handle, 8" long.

LC-147 Reversible Ratchet, 7" long.

LC-135 Extension, 5" long.

LC-180 Universal Joint.

LC-1017 Speeder, 17" long.

LC-1312 Extension, 11" long.

LC-25 Set in Metal Tool Box,
17 3/4 x 4 1/2 x 1 1/2".

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

BILLINGS LIFE-TIME **BILLINGS** LIFE-TIME **BILLINGS**

SOCKETS—Forged from selected ALLOY steel. Straight side walls are extra thin for close-up jobs, yet strong for rugged work; teeth clean-cut, accurately formed. Quality controlled. Heat-treated for greatest strength. "Lock-on" feature. Chrome-plated, rust resistant finish. Opening size clearly stamped.

PARTS—Forged from Billings selected ALLOY steel, hardened and tempered to develop the utmost in physical properties. Designed for balance, "feel" and quick interchangeability. Ball type, "lock-on" feature. Chrome-plated, rust-resistant eye appealing finish. Billings Quality made for the Hardware trade exclusively.

12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | Am. Std. Heavy Nut (U.S.S.) | Am. Std. Hex Head Cap Screws | Am. Std. Light Nut (S.A.E.) | Am. Std. Reg. Nut Size Bolts | Length (App.) | Std. Pkg. |
|-----------------------------|-----------------|-----------------------------|------------------------------|-----------------------------|------------------------------|---------------|-----------|
| LC-1212 | 3/8" | — | — | — | 10 | 15/16" | 10 |
| LC-1214 | 7/16" | — | 1/4 | 1/4 | 1/4, 12 | 15/16" | 10 |
| LC-1216 | 1/2" | 1/4 | 5/16 | 5/16 | — | 15/16" | 10 |
| LC-1218 | 9/16" | — | 3/8 | 3/8 | 5/16 | 31/32" | 10 |
| LC-1220 | 5/8" | — | 7/16 | 7/16 | 3/8 | 1" | 10 |
| LC-1222 | 11/16" | 3/8 | — | — | — | 1 1/32" | 10 |
| LC-1224 | 3/4" | — | 1/2 | 1/2 | 7/16 | 1 1/32" | 10 |

12 POINT, DOUBLE HEX—DEEP WALL—Chrome Plated Finish

| | | | | | | | |
|----------|--------|-----|------|------|---------|--------|---|
| LCD-1214 | 7/16" | — | 1/4 | 1/4 | 1/4, 12 | 2" | 5 |
| LCD-1216 | 1/2" | 1/4 | 5/16 | 5/16 | — | 2" | 5 |
| LCD-1218 | 9/16" | — | 3/8 | 3/8 | 5/16 | 2" | 5 |
| LCD-1220 | 5/8" | — | 7/16 | 7/16 | 3/8 | 2" | 5 |
| LCD-1222 | 11/16" | 3/8 | — | — | — | 2 1/2" | 5 |
| LCD-1224 | 3/4" | — | 1/2 | 1/2 | 7/16 | 2 1/2" | 5 |

12 POINT, UNIVERSAL FLEX SOCKETS—Chrome Plated Finish

| | | | | | | | |
|----------|--------|-----|------|------|---------|----------|---|
| LCU-1212 | 3/8" | — | — | — | 10 | 1 1/2" | 5 |
| LCU-1214 | 7/16" | — | 1/4 | 1/4 | 1/4, 12 | 1 9/16" | 5 |
| LCU-1216 | 1/2" | 1/4 | 5/16 | 5/16 | — | 1 19/32" | 5 |
| LCU-1218 | 9/16" | — | 3/8 | 3/8 | 5/16 | 1 5/8" | 5 |
| LCU-1220 | 5/8" | — | 7/16 | 7/16 | 3/8 | 1 3/4" | 5 |
| LCU-1222 | 11/16" | 3/8 | — | — | — | 1 25/32" | 5 |
| LCU-1224 | 3/4" | — | 1/2 | 1/2 | 7/16 | 1 13/16" | 5 |


*For American Standard Machine Screw and Stove Bolt Nuts. **Sold in Standard Packages only.**

BILLINGS
ALLOY STEEL

Life-Time
3/**8**
SQ. DR.

SOCKETS & PARTS

"CADET" SERIES




3/8" SQ. DR. "CADET" SERIES, SOCKET PARTS

| LIFE-TIME Forged Parts No. | Description | Std. Pkg. |
|----------------------------|---------------------------------|-----------|
| LCB-110 | Flex Handle Bar, 6 1/2" long | 5 |
| LC-118 | Flex Handle, 8 1/4" long | 5 |
| LC-128 | Sliding "T" Handle, 8" long | 5 |
| LC-133 | Extension, 3" long | 5 |
| LC-135 | Extension, 5" long | 5 |
| LC-138 | Extension, 8" long | 5 |
| LC-147 | Reversible Ratchet, 7" long | 1 |
| LCS-160 | Adapter, 3/8" Female, 1/2" Male | 5 |
| LC-180 | Universal Joint | 5 |
| LC-1017 | Speeder, 17" long | 2 |
| LC-1312 | Extension, 11" long | 5 |

No. LC-48

PLYWOOD DISPLAY
BOARD 1 x 2 Ft.



No. LC-48 SOCKET BOARD CONTENTS:

| Quantity | LIFE-TIME Forged Socket Number | Nominal Opening | Quantity | 3/8" SQUARE DRIVE HANDLE PARTS |
|----------|---|-----------------|----------|---|
| 2 | 12 POINT, DOUBLE HEX SOCKETS, REGULAR | 3/8" | 2 | LC-118 Flex Handle, 8 1/4" long |
| 2 | LC-1212 | 7/16" | 2 | LC-128 Sliding "T" Handle, 8" long |
| 2 | LC-1214 | 1/2" | 2 | LC-133 Extension, 3" long |
| 2 | LC-1216 | 9/16" | 2 | LC-135 Extension, 5" long |
| 2 | LC-1218 | 5/8" | 2 | LC-138 Extension, 8" long |
| 2 | LC-1220 | 11/16" | 2 | LC-147 Reversible Ratchet, 7" long |
| 2 | LC-1222 | 3/4" | 2 | LC-180 Universal Joint |
| 2 | LC-1224 | — | 2 | LC-1017 Speeder, 17" long |
| 2 | 12 POINT, DOUBLE HEX SOCKETS, DEEP WALL | 7/16" | 1 | LC-135 Extension, 5" long |
| 2 | LCD-1214 | 1/2" | 2 | LC-180 Universal Joint |
| 2 | LCD-1216 | 9/16" | 2 | LC-1017 Speeder, 17" long |
| 2 | LCD-1218 | 5/8" | 2 | LC-138 Extension, 8" long |
| 2 | LCD-1220 | 11/16" | 2 | LC-147 Reversible Ratchet, 7" long |
| 2 | LCD-1222 | 3/4" | 2 | LC-180 Universal Joint |
| 2 | LCD-1224 | — | 2 | LC-1017 Speeder, 17" long |
| 1 | 12 POINT, UNIVERSAL FLEX SOCKETS | 3/8" | 1 | LC-48 LIFE-TIME SOCKET DISPLAY, COMPLETE WITH BOARD |
| 1 | LCU-1212 | 7/16" | 1 | (No charge for board when assortment is purchased.) |
| 1 | LCU-1214 | 1/2" | 1 | |
| 1 | LCU-1216 | 9/16" | 1 | |
| 1 | LCU-1218 | 5/8" | 1 | |
| 1 | LCU-1220 | — | 1 | |

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

BILLINGS

LIFE-TIME

BILLINGS

LIFE-TIME

BILLINGS

BILLINGS**LIFE-TIME****BILLINGS****LIFE-TIME****BILLINGS**

BILLINGS ALLOY STEEL

Life-Time®

SQ. **3/8"** DR.

SOCKET SETS



LCD-6 DETACHABLE SOCKET SET

12 POINT, DOUBLE HEX, EXTRA DEEP SOCKETS
Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | Length |
|-----------------------------------|--------------------|--------|
| LCD-1214 | 7/16" | 2" |
| LCD-1216 | 1/2" | 2" |
| LCD-1218 | 9/16" | 2" |
| LCD-1220 | 5/8" | 2" |
| LCD-1222 | 11/16" | 2 1/2" |
| LCD-1224 | 3/4" | 2 1/2" |

LCD-6 Set furnished in Cardboard Box.



LC-10 DETACHABLE SOCKET SET

12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | LIFE-TIME Forged Socket No. | Nominal Opening |
|-----------------------------------|--------------------|-----------------------------------|--------------------|
| LC-1212 | 3/8" | LC-1220 | 5/8" |
| LC-1214 | 7/16" | LC-1222 | 11/16" |
| LC-1216 | 1/2" | LC-1224 | 3/4" |
| LC-1218 | 9/16" | | |

HANDLE PARTS

LC-118 Flex Handle, 8 1/4" long.

LC-133 Extension, 3" long.

LC-147 Reversible Ratchet, 7" long.

LC-10 Set in Metal Tool Box,
8 5/8 x 2 13/16 x 1 3/8".


"MADE EXCLUSIVELY FOR THE HARDWARE TRADE"

Each Set in the new 3/8" Square Drive Billings LIFE-TIME Socket line contains Billings quality Sockets and Parts in various assortments to meet the needs created by users of this popular priced line of Sockets.

The heavy gauge metal boxes are enameled in the distinctive Billings LIFE-TIME royal blue. Separate partitions for Sockets and Parts plus space for future additions give an orderly appearance to the sets. Latches and hinges are strong and practical.

Sockets and Parts are made from selected ALLOY Steel, heat treated to Billings rigid specifications to develop the utmost in strength. The openings are accurately sized. All Sockets have a rust resistant chrome plated finish.

The 3/8" Parts are selected to be the correct counterparts to the various sizes and types of Sockets in each Set and they are interchangeable. Each has the "lock-on" feature.



LCU-7 DETACHABLE SOCKET SET

12 POINT, DOUBLE HEX, UNIVERSAL FLEX SOCKETS
Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | Length |
|-----------------------------------|--------------------|----------|
| LCU-1212 | 3/8" | 1 1/2" |
| LCU-1214 | 7/16" | 1 9/16" |
| LCU-1216 | 1/2" | 1 19/32" |
| LCU-1218 | 9/16" | 1 5/8" |
| LCU-1220 | 5/8" | 1 3/4" |
| LCU-1222 | 11/16" | 1 25/32" |
| LCU-1224 | 3/4" | 1 13/16" |

LCU-7 Set furnished in Cardboard Box.



LC-8 DETACHABLE SOCKET SET


12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | LIFE-TIME Forged Socket No. | Nominal Opening |
|-----------------------------------|--------------------|-----------------------------------|--------------------|
| LC-1212 | 3/8" | LC-1220 | 5/8" |
| LC-1214 | 7/16" | LC-1222 | 11/16" |
| LC-1216 | 1/2" | LC-1224 | 3/4" |
| LC-1218 | 9/16" | | |

HANDLE PARTS

LC-118 Flex Handle, 8 1/4" long.

LC-8 Set in Metal Tool Box,
8 5/8 x 2 13/16 x 1 3/8".



LC-15 DETACHABLE SOCKET SET

12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | LIFE-TIME Forged Socket No. | Nominal Opening |
|-----------------------------------|--------------------|-----------------------------------|--------------------|
| LC-1212 | 3/8" | LC-1220 | 5/8" |
| LC-1214 | 7/16" | LC-1222 | 11/16" |
| LC-1216 | 1/2" | LC-1224 | 3/4" |
| LC-1218 | 9/16" | | |

HANDLE PARTS

LCB-110 Flex Handle Bar, 6 1/2" long.

LC-118 Flex Handle, 8 1/4" long.

LC-128 Sliding "T" Handle, 8" long.

LC-135 Extension, 5" long.

LC-147 Reversible Ratchet, 7" long.

LC-180 Universal Joint.

LC-1017 Speeder, 17" long.

LC-1312 Extension, 11" long.

LC-15 Set in Metal Tool Box,
17 3/4 x 4 1/2 x 1 1/2".



LC-25 DETACHABLE SOCKET SETS

12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | LIFE-TIME Forged Socket No. | Nominal Opening |
|-----------------------------------|--------------------|-----------------------------------|--------------------|
| LC-1212 | 3/8" | LC-1220 | 5/8" |
| LC-1214 | 7/16" | LC-1222 | 11/16" |
| LC-1216 | 1/2" | LC-1224 | 3/4" |
| LC-1218 | 9/16" | | |

12 POINT, DOUBLE HEX SOCKETS, EXTRA DEEP

| LCD-1214 | 7/16" | LCD-1220 | 5/8" |
|----------|-------|----------|--------|
| LCD-1216 | 1/2" | LCD-1222 | 11/16" |
| LCD-1218 | 9/16" | LCD-1224 | 3/4" |

12 POINT, DOUBLE HEX UNIVERSAL FLEX SOCKETS

| LCU-1214 | 7/16" | LCU-1218 | 9/16" |
|----------|-------|----------|-------|
| LCU-1216 | 1/2" | LCU-1220 | 5/8" |

HANDLE PARTS

LCB-110 Flex Handle Bar, 6 1/2" long.

LC-118 Flex Handle, 8 1/4" long.

LC-128 Sliding "T" Handle, 8" long.

LC-147 Reversible Ratchet, 7" long.

LC-135 Extension, 5" long.

LC-180 Universal Joint.

LC-1017 Speeder, 17" long.

LC-1312 Extension, 11" long.

LC-25 Set in Metal Tool Box,
17 3/4 x 4 1/2 x 1 1/2".

THE BILLINGS & SPENCER CO., HARTFORD 1, CONN., U.S.A.

Printed in U.S.A.

BILLINGS **LIFE-TIME** **BILLINGS** **LIFE-TIME** **BILLINGS**

BILLINGS LIFE-TIME **BILLINGS** LIFE-TIME **BILLINGS**

SOCKETS—Forged from selected ALLOY steel. Straight side walls are extra thin for close-up jobs, yet strong for rugged work; teeth clean-cut, accurately formed. Quality controlled. Heat-treated for greatest strength. "Lock-on" feature. Chrome-plated, rust resistant finish. Opening size clearly stamped.

PARTS—Forged from Billings selected ALLOY steel, hardened and tempered to develop the utmost in physical properties. Designed for balance, "feel" and quick interchangeability. Ball type, "lock-on" feature. Chrome-plated, rust-resistant eye appealing finish. Billings Quality made for the Hardware trade exclusively.

12 POINT, DOUBLE HEX SOCKETS—Chrome Plated Finish

| LIFE-TIME Forged Socket No. | Nominal Opening | Am. Std. Heavy Nut (USS) Size Bolt | Am. Std. Hex Head Cap Screws Dia. Screws | Am. Std. Light Nut (SAE) Size Bolts | Am. Std. Reg. Nut Size Bolts | Length (App.) | Std. Pkg. |
|-----------------------------|-----------------|------------------------------------|--|-------------------------------------|------------------------------|---------------|-----------|
| LS-1212 | 3/8" | — | — | 1/4 | 1/4 | 1 1/4 | 10 |
| LS-1214 | 7/16" | — | — | 5/16 | 1/4, 1/2 | 1 1/4 | 10 |
| LS-1216 | 1/2" | 1/4 | 3/8 | 3/8 | — | 1 9/32 | 10 |
| LS-1218 | 9/16" | — | — | — | 5/16 | 1 5/16 | 10 |
| LS-1219 | 19/32" | 5/16 | — | — | — | 1 11/32 | 10 |
| LS-1220 | 5/8" | — | 7/16 | 7/16 | 3/8 | 1 3/8 | 10 |
| LS-1222 | 11/16" | 3/8 | — | — | — | 1 7/16 | 10 |
| LS-1224 | 3/4" | — | 1/2 | 1/2 | 7/16 | 1 15/32 | 10 |
| LS-1225 | 25/32" | 7/16 | — | — | — | 1 1/2 | 10 |
| LS-1226 | 13/16" | — | 9/16 | — | 1/2 | 1 9/16 | 10 |
| LS-1228 | 7/8" | 1/2 | 5/8 | 9/16 | 9/16 | 1 5/8 | 10 |
| LS-1230 | 15/16" | 9/16 | — | 5/8 | — | 1 41/64 | 10 |
| LS-1232 | 1" | — | 3/4 | — | 5/8 | 1 11/16 | 10 |
| LS-1234 | 1 1/16" | 5/8 | — | 3/4 | — | 1 3/4 | 5 |
| LS-1236 | 1 1/8" | — | 7/8 | — | 3/4 | 1 13/16 | 5 |
| LS-1240 | 1 1/4" | 3/4 | *1 | 7/8 | — | 1 15/16 | 5 |

12 POINT, DOUBLE HEX—DEEP WALL—Chrome Plated Finish

| | | | | | | | |
|----------|--------|------|------|------|------|--------|---|
| LSD-1216 | 1/2" | 1/4 | 5/16 | 5/16 | — | 3 | 5 |
| LSD-1218 | 9/16" | — | 3/8 | 3/8 | — | 3 | 5 |
| LSD-1220 | 5/8" | — | 7/16 | 7/16 | 3/8 | 3 | 5 |
| LSD-1222 | 11/16" | 3/8 | — | — | — | 3 | 5 |
| LSD-1224 | 3/4" | — | 1/2 | 1/2 | 7/16 | 3 | 5 |
| LSD-1226 | 13/16" | — | 9/16 | — | 1/2 | 3 | 5 |
| LSD-1228 | 7/8" | 1/2 | 5/8 | 9/16 | 9/16 | 3 1/4 | 5 |
| LSD-1230 | 15/16" | 9/16 | — | 5/8 | — | 3 1/4 | 5 |
| LSD-1232 | 1" | — | 3/4 | — | 5/8 | 3 1/4 | 5 |
| LSD-1236 | 1 1/8" | — | 7/8 | — | 3/4 | 3 5/16 | 5 |


8 POINT, DOUBLE SQUARE SOCKETS—Chrome Plated Finish

| | | | | | | | |
|--------|-------|-----|---|------|------|--------|----|
| LS-814 | 7/16" | — | — | 7/16 | 1/4 | 1 5/16 | 10 |
| LS-816 | 1/2" | 1/4 | — | — | 1/2 | 1 7/16 | 10 |
| LS-818 | 9/16" | — | — | 9/16 | 5/16 | 1 7/16 | 10 |
| LS-820 | 5/8" | — | — | 5/8 | 3/8 | 1 7/16 | 10 |
| LS-824 | 3/4" | — | — | 3/4 | 7/16 | 1 7/16 | 10 |

*For American Standard Machine Screw and Stove Bolt Nuts.


*Old Style Cap Screws—Now Obsolete.

Sold in Standard Packages only.



No. LS-75

PLYWOOD BOARD,
1 x 2 ft.



NO. LS-75 SOCKET BOARD CONTENTS:

| Quantity | LIFE-TIME Forged Socket Number | Nominal Opening | Quantity | HANDLE PARTS |
|----------|--|-----------------|----------|--|
| 4 | 12 POINT, DOUBLE HEX SOCKETS LS-1214 | 7/16" | 2 | LS-135 Extensions—5" long |
| 4 | LS-1216 | 1/2" | 2 | LS-180 Universal Joint |
| 4 | LS-1218 | 9/16" | 1 | LS-1018 Speeder—17" long |
| 2 | LS-1220 | 19/32" | 1 | LS-1118 Flex Handles—18" long |
| 4 | LS-1222 | 5/8" | 1 | LS-1211 Sliding "T" Handles—9 5/8" long |
| 4 | LS-1224 | 11/16" | 2 | LS-1310 Extensions—10" long |
| 4 | LS-1226 | 3/4" | 2 | LS-1410 Reversible Ratchets—10 1/4" long |
| 4 | LS-1228 | 13/16" | 2 | |
| 4 | LS-1230 | 7/8" | 2 | |
| 4 | LS-1232 | 15/16" | 2 | |
| 2 | LS-1234 | 1" | 2 | |
| 2 | LS-1236 | 1 1/16" | 2 | |
| 2 | LS-1240 | 1 1/8" | 2 | |
| 2 | 8 POINT, DOUBLE SQUARE SOCKETS LS-814 | 1 1/4" | 2 | LS-75 LIFE-TIME SOCKET DISPLAY, COMPLETE WITH BOARD. |
| 2 | LS-816 | 7/16" | | |
| 2 | LS-818 | 1/2" | | |
| 2 | LS-820 | 9/16" | | |
| 2 | LS-824 | 5/8" | | |
| 2 | | 3/4" | | |

(No charge for board when assortment is purchased.)

BILLINGS
ALLOY STEEL

Life-Time

DR. SQ.

"STANDARD" SERIES



BILLINGS LIFE-TIME **BILLINGS** LIFE-TIME

